

Search: • The ACM Digital Library • C The Guide

"document retrieval" + "analyzing relevance" + "indexing asso

SEARCH

THE ACK DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used <u>document retrieval</u> <u>analyzing relevance indexing</u> <u>associated portion ranking enhanced documents</u>

Found 2 of 199,915

Relevance scale 🗆 🖃 📰 🔳

Sort results by

Display

results

relevance

expanded form

Save results to a Binder

Search Tips

Open results in a new

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Results 1 - 2 of 2

1 From reading to retrieval: freeform ink annotations as queries

window

Gene Golovchinsky, Morgan N. Price, Bill N. Schilit

August 1999 Proceedings of the 22nd annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '99

Publisher: ACM Press

Full text available: pdf(236.86 KB) Additional Information: full citation, references, citings, index terms

Keywords: annotation-based queries, digital libraries, empirical evaluation, freeform digital ink, information appliances, information exploration, information retrieval, query expansion, query-mediated browsing, relevance feedback, user studies

2 IR-3 (information retrieval): fusion of retrieval systems: Improving document

representations using relevance feedback: the RFA algorithm
Razvan Stefan Bot, Yi-fang Brook Wu

November 2004 Proceedings of the thirteenth ACM international conference on Information and knowledge management CIKM '04

Publisher: ACM Press

Full text available: pdf(342.74 KB) Additional Information: full citation, abstract, references, index terms

In this paper we present a document representation improvement technique, named the Relevance Feedback Accumulation (RFA) algorithm. Using prior relevance feedback assessments and a data mining measure called "support", the algorithm's learning function gradually improves document representations, over time and across users. Results show that the modified document representations yield lower dimensionality while improving retrieval effectiveness. The algorithm is efficient and scalable, suite ...

Keywords: document oriented view, document representation, information retrieval, relevance feedback

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Results (page 1): "document retrieval" + "analyzing relevance" + "indexing associated po... Page 2 of 2

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player

acm	PRTA	L	
	USPTO		

Search: • The ACM Digital Library C The Guide

"document retrieval" + "calculating relevance" + "indexing ass

SEARCH

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey.

Terms used document retrieval calculating relevance indexing associated portion ranking enhanced documents

Found 2 of 199,915

Sort	resu	lts
hv		

results

relevance Display expanded form

Save results to a Binder ? Search Tips

Open results in a new

Try an Advanced Search Try this search in The ACM Guide

window

Results 1 - 2 of 2

Relevance scale On the design and evaluation of a multi-dimensional approach to information retrieval

(poster session)

M. Catherine McCabe, Jinho Lee, Abdur Chowdhury, David Grossman, Ophir Frieder July 2000 Proceedings of the 23rd annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '00

Publisher: ACM Press

Full text available: pdf(331.58 KB)

Additional Information: full citation, abstract, references, citings, index terms

We present a method of searching text collections that takes advantage of hierarchrical information within documents and integrates searches of structured and unstructured data. We show that Multidimensional databases (MDB), designed for accessing data along hierarchical dimensions, are effective for information retrieval. We demonstrate a method of using On-Line Analytic Processing (OLAP) techniques on a text collection. This combines traditional information retrieval and the slicing, dic ...

Mining and disambiguating names: Finding authoritative people from the web Masanori Harada, Shin-ya Sato, Kazuhiro Kazama

June 2004 Proceedings of the 4th ACM/IEEE-CS joint conference on Digital libraries **JCDL** '04

Publisher: ACM Press

Full text available: pdf(260.06 KB)

Additional Information: full citation, abstract, references, citings, index terms

Today's web is so huge and diverse that it arquably reflects the real world. For this reason, searching the web is a promising approach to find things in the real world. This paper presents NEXAS, an extension to web search engines that attempts to find realworldentities relevant to a topic. Its basic idea is to extract proper names from the web pages retrieved for the topic. A main advantage of this approach is that users can query any topic and learn about relevant real-world entities without ...

Keywords: proper name extraction, question answering, text analysis, web mining

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Results (page 1): "document retrieval" + "calculating relevance" + "indexing associated p... Page 2 of 2

Useful downloads: Adobe Acrobat QuickTime Windows Media Player



Search: • The ACM Digital Library • The Guide

information retrieval" + "analyzing relevance" + "indexing as



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used <u>information retrieval analyzing relevance indexing</u> <u>associated portion ranking enhanced documents</u>

Found 2 of 199,915

Relevance scale

Sort	results	

by Display results relevance

expanded form

Save results to a Binder

Search Tips

Open results in a new

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Results 1 - 2 of 2

1 IR-3 (information retrieval): fusion of retrieval systems: Improving document

representations using relevance feedback: the RFA algorithm

window

Razvan Stefan Bot, Yi-fang Brook Wu

November 2004 Proceedings of the thirteenth ACM international conference on Information and knowledge management CIKM '04

Publisher: ACM Press.

Full text available: pdf(342.74 KB) Additional Information: full citation, abstract, references, index terms

In this paper we present a document representation improvement technique, named the Relevance Feedback Accumulation (RFA) algorithm. Using prior relevance feedback assessments and a data mining measure called "support", the algorithm's learning function gradually improves document representations, over time and across users. Results show that the modified document representations yield lower dimensionality while improving retrieval effectiveness. The algorithm is efficient and scalable, suite ...

Keywords: document oriented view, document representation, information retrieval, relevance feedback

² From reading to retrieval: freeform ink annotations as queries

Gene Golovchinsky, Morgan N. Price, Bill N. Schilit

August 1999 Proceedings of the 22nd annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '99

Publisher: ACM Press

Full text available: 🔁 pdf(236.86 KB) Additional Information: full citation, references, citings, index terms

Keywords: annotation-based queries, digital libraries, empirical evaluation, freeform digital ink, information appliances, information exploration, information retrieval, query expansion, query-mediated browsing, relevance feedback, user studies

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player



Search: • The ACM Digital Library • C The Guide

"information retrieval" + "calculating relevance" + "indexing as

SHARM

THE ACCUMENTAL LIERVARY

Feedback Report a problem Satisfaction survey

Terms used information retrieval calculating relevance indexing associated portion ranking enhanced documents

Found 11 of 199,915

Sort results	relevance
Display results	expanded form

relevance	Y

Save results to a Binder Search Tips

Open results in a new

Try an Advanced Search Try this search in The ACM Guide

window

Results 1 - 11 of 11

Relevance	scale			
information	retri	eval	Γ	T)

Late breaking result papers: Tangible interface for collaborative

Alan F. Blackwell, Mark Stringer, Eleanor F. Toye, Jennifer A. Rode April 2004 CHI '04 extended abstracts on Human factors in computing systems CHI '04

Publisher: ACM Press

Full text available: pdf(290.58 KB) Additional Information: full citation, abstract, references, index terms

Most information retrieval (IR) interfaces are designed for a single user working with a dedicated interface. We present a system in which the IR interface has been fully integrated into a collaborative context of discussion or debate relating to the query topic. By using a tangible user interface, we support multiple users interacting simultaneously to refine the query. Integration with more powerful back-end query processing is still in progress, but we have already been able to evaluate the p ...

Keywords: computer supported collaborative argumentation, probabilistic information retrieval, tangible interfaces

2 On the design and evaluation of a multi-dimensional approach to information retrieval (poster session)

M. Catherine McCabe, Jinho Lee, Abdur Chowdhury, David Grossman, Ophir Frieder July 2000 Proceedings of the 23rd annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '00

Publisher: ACM Press

Full text available: pdf(331.58 KB)

Additional Information: full citation, abstract, references, citings, index <u>terms</u>

We present a method of searching text collections that takes advantage of hierarchrical information within documents and integrates searches of structured and unstructured data. We show that Multidimensional databases (MDB), designed for accessing data along hierarchical dimensions, are effective for information retrieval. We demonstrate a method of using On-Line Analytic Processing (OLAP) techniques on a text collection. This combines traditional information retrieval and the slicing, dic

3 Time, media, interaction: A look at some issues during textual linking of homogeneous web repositories

	(j. go s). The second of the s
\$	José Antonio Camacho-Guerrero, Alessandra Alaniz Macedo, Maria da Graça Campos Pimentel October 2004 Proceedings of the 2004 ACM symposium on Document engineering
	DocEng '04 Publisher: ACM Press
	Full text available: pdf(993.53 KB) Additional Information: full citation, abstract, references, citings, index terms
	Interacting with services that create links automatically via Web users are able to identify relationships among documents stored in different repositories. The fact that automatic linking services do not use queries performed by a human user has impact in the use of information retrieval techniques for the identification of relationships. Information retrieval techniques can lead to the identification of relationships that should not have been generated (generating non-relevant links) at the
	Keywords : homogeneous repositories, information retrieval, linking, semantic structures, web
4	Empirical investigations on query modification using abductive explanations Ian Rithven, Mounia Lalmas, Keith van Rijsbergen September 2001 Proceedings of the 24th annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '01 Publisher: ACM Press
	Full text available: pdf(249.26 KB) Additional Information: full citation, abstract, references, citings, index terms
,	In this paper we report on a series of experiments designed to investigate query modification techniques motivated by the area of abductive reasoning. In particular we use the notion of abductive explanation, explanations being a description of data that highlight important features of the data. We describe several methods of creating abductive explanations, exploring term reweighting and query reformulation techniques and demonstrate their suitability for relevance feedback.
5 ②	Mining and disambiguating names: Finding authoritative people from the web Masanori Harada, Shin-ya Sato, Kazuhiro Kazama June 2004 Proceedings of the 4th ACM/IEEE-CS joint conference on Digital libraries JCDL '04
	Publisher: ACM Press
•	Full text available: pdf(260.06 KB) Additional Information: full citation, abstract, references, citings, index terms
	Today's web is so huge and diverse that it arguably reflects the real world. For this reason, searching the web is a promising approach to find things in the real world. This paper presents NEXAS, an extension to web search engines that attempts to find real-worldentities relevant to a topic. Its basic idea is to extract proper names from the web pages retrieved for the topic. A main advantage of this approach is that users can query any topic and learn about relevant real-world entities without

	any topic and learn about relevant real-world entities without
	Keywords: proper name extraction, question answering, text analysis, web mining
6	ffective access to large audiovisual assets based on user preferences
(2)	. Ioannou, G. Moschovitis, K. Ntalianis, K. Karpouzis, S. Kollias ovember 2000 Proceedings of the 2000 ACM workshops on Multimedia MULTIMEDI '00
	ublisher: ACM Press
	ull text available: Additional Information:

pdf(1.01	MB)

Full text available: pdf(1.37 MB)

full citation, abstract, references, index terms

Current multimedia databases contain a wealth of information in the form of audiovisual, as well as text data. Even though efficient search algorithms have been developed for either media, there still exists the need for abstract presentation and summarization of the results of database users' queries. Moreover, multimedia retrieval systems should be capable of providing the user with additional information related to the specific subject of the query, as well as suggest other topics which us ...

Keywords: multimedia databases, query expansion, text-based search, user profiling, web access

7	A knowledge-base for retrieval evaluation	
③	Roy Rada, Susanne Humphrey, Craig Coccia October 1985 Proceedings of the 1985 ACM annual conference on The range of computing: mid-80's perspective: mid-80's perspective ACM '85	
	Publisher: ACM Press Full text available: pdf(807.52 KB) Additional Information: full citation, references, citings, index terms	
	Keywords : information retrieval systems, knowledge refinement, knowledge representation, knowledge-bases, relevance, retrieval evaluation	
	representation, knowledge bases, relevance, retrieval evaluation	
8	Posters: Unity: relevance feedback using user query logs	
٨	Jignashu Parikh, Shyam Kapur	
•	August 2006 Proceedings of the 29th annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '06	
	Publisher: ACM Press	
	Full text available: pdf(130.20 KB) Additional Information: full citation, abstract, references, index terms	
	The exponential growth of the Web and the increasing ability of web search engines to index data have led to a problem of plenty. The number of results returned per query is typically in the order of millions of documents for many common queries. Although there is the benefit of added coverage for every query, the problem of ranking these documents and giving the best results gets worse. The problem is even more difficult in case of temporal and ambiguous queries. We try to address this problem	
	Keywords : information retrieval, query expansion, query refinements, relevance feedback, search engines, search re-ranking	
9	Adaptive hypermedia (2): User-controlled link adaptation	
A	Theophanis Tsandilas, m. c. schraefel	Ť
\	August 2003 Proceedings of the fourteenth ACM conference on Hypertext and	
	hypermedia HYPERTEXT '03 Publisher: ACM Press	
	FUDINSHER, ACIVI F1655	

This paper introduces an adaptable hypermedia approach applied to adaptive link annotation techniques. This approach suggests that the combination of direct manipulation with automated link annotation affords greater user control over page adaptation. In turn, this direct control better supports user focus in information discovery tasks. Unlike adaptive-only systems, our approach lets users both define multiple topics of interest and then manipulate how these topics' associated links are present ...

<u>terms</u>

Additional Information: full citation, abstract, references, citings, index

Keywords: adaptable hypertext, direct manipulation, history visualization, hyperlink

annotation 10 PACT 2001 workshops: SIDE surfer: enriching casual meetings with spontaneous information gathering David Touzet, Jean-Marc Menaud, Frédéric Weis, Paul Couderc, Michel Banâtre December 2001 ACM SIGARCH Computer Architecture News, Volume 29 Issue 5 Publisher: ACM Press Full text available: pdf(619.25 KB) Additional Information: full citation, abstract, references, index terms Development of wireless communications enables the rise of networking applications in mobile personal systems. Thus, Web access from wireless PDAs is now available. More recently, emergence of proximity and wireless communication technologies has allowed to envision new kinds of applications taking part from their physical neighbourhood. In the field of personal applications, physical neighbourhood awareness can contribute to manage direct interactions between people during opportunistic encount ... 11 Generation of relevance maps and navigation in a digital book Katsuhiro Ikeda, Kozo Sugiyama, Isamu Watanabe, Kazuo Misue January 2006 Proceedings of the 2006 Asia-Pacific Symposium on Information Visualisation - Volume 60 APVis '06 Publisher: Australian Computer Society, Inc. Full text available: pdf(1.30 MB) Additional Information: full citation, abstract, references, index terms This paper describes how to design a digital book for a new science called 'Knowledge Science'. We prepare several types of navigation facilities for browsing the book. Specially, we generate relevance maps by mining useful information from large volume of textual data and visualizing it. We evaluate the quality of the generated relevance maps through questionnaires to the authors. Also, we evaluate the usability of prepared navigation facilities through questionnaires to the users. Keywords: digital book, navigation, relevance map Results 1 - 11 of 11 The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Search: • The ACM Digital Library • The Guide

"document retrieval" + "analyzing relevance" + "indexing asso

SEARCH

200 P		2 42		202		*	S WAR COL E
THE	AGM		5731 -	LUGYRV	ΔEXY .	10 m	7.75
thin i ==	72. KV91.77	0 17 1 10 11		1-11-11	7188 F	2 3 7 7 7	2 X X
the standard with	cr frage con	with the street of	in a section	commence and a commence		7 20 0 5 7	
12. 30.15	***						

Feedback Report a problem Satisfaction survey

Terms used document retrieval analyzing relevance indexing associated portion ranking enhanced

Found 2 of 199,915

Relevance scale

Sort results by

Display

results

relevance

expanded form

Save results to a Binder ? Search Tips

Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 2 of 2

From reading to retrieval: freeform ink annotations as queries

Gene Golovchinsky, Morgan N. Price, Bill N. Schilit

window

August 1999 Proceedings of the 22nd annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '99

Publisher: ACM Press

Full text available: pdf(236.86 KB) Additional Information: full citation, references, citings, index terms

Keywords: annotation-based queries, digital libraries, empirical evaluation, freeform digital ink, information appliances, information exploration, information retrieval, query expansion, query-mediated browsing, relevance feedback, user studies

2 IR-3 (information retrieval): fusion of retrieval systems: Improving document representations using relevance feedback: the RFA algorithm

Razvan Stefan Bot, Yi-fang Brook Wu

November 2004 Proceedings of the thirteenth ACM international conference on Information and knowledge management CIKM '04

Publisher: ACM Press

Full text available: pdf(342.74 KB) Additional Information: full citation, abstract, references, index terms

In this paper we present a document representation improvement technique, named the Relevance Feedback Accumulation (RFA) algorithm. Using prior relevance feedback assessments and a data mining measure called "support", the algorithm's learning function gradually improves document representations, over time and across users. Results show that the modified document representations yield lower dimensionality while improving retrieval effectiveness. The algorithm is efficient and scalable, suite ...

Keywords: document oriented view, document representation, information retrieval, relevance feedback

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Results (page 1): "document retrieval" + "analyzing relevance" + "indexing associated po... Page 2 of 2

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player



Welcome United States Patent and Trademark Office

CEADOU

Search Res	Suits	BROWSE SEARCH IEEE APLORE	GUIDE
Your search	n matched 3 of 1540244 do	(relevance <near> query)) <and> rank*)<in>metadata)" ocuments. ed, 25 to a page, sorted by Relevance in Descending order.</in></and></near>	⊠ е-паіІ
» Search O	ptions		
View Sessi	on History	Modify Search	
New Searc	<u>h</u>	(((extract* <paragraph> (relevance <near> query)) <and> rank*)<in>metadata)</in></and></near></paragraph>	Search
		Check to search only within this results set	
» Key	•	Display Format:	
IEEE JNL	IEEE Journal or Magazine		·
IET JNL	IET Journal or Magazine	view selected items Select All Deselect All	
IEEE CNF	IEEE Conference Proceeding	1. Keyphrase extraction-based query expansion in digital libr	aries
IET CNF	IET Conference Proceeding	Il Yeol Song; Allen, R.B.; Obradovic, Z.; Min Song; <u>Digital Libraries, 2006. JCDL '06. Proceedings of the 6th ACM/</u>	EEE-CS Joint (
IEEE STD	IEEE Standard	June 2006 Page(s):202 - 209 Digital Object Identifier 10.1145/1141753.1141800	
	•	<u>AbstractPlus</u> Full Text: <u>PDF</u> (265 KB) IEEE CNF Rights and Permissions	
•		2. Mining answers in German Web pages Neumann, G.; Feiyu Xu; Web Intelligence, 2003. WI 2003. Proceedings. IEEE/WIC Intel 13-17 Oct. 2003 Page(s):125 - 131	national Confer
,		AbstractPlus Full Text: PDF(257 KB) IEEE CNF Rights and Permissions	
,	·	3. Text mining in 'Request for Comments Document Series' Gurusamy, S.; Manjula, D.; Geetha, T.V.; Language Engineering Conference, 2002. Proceedings	

13-15 Dec. 2002 Page(s):147 - 155

Rights and Permissions

AbstractPlus | Full Text: PDF(347 KB) IEEE CNF

Indexed by লু Inspec° Help Contact Us Privacy &: © Copyright 2006 IEEE -



Welcome United States Patent and Trademark Office

©□□□Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((extract* <paragraph> (relevance <near> query)) <and> score)<in>metadata)" Me-mail Your search matched 3 of 1540244 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** (((extract* <paragraph> (relevance <near> query)) <and> score)<in>metadata) **New Search** Search Check to search only within this results set » Key **IEEE JNL** IEEE Journal or Magazine view selected items Select All Deselect All **IET JNL** IET Journal or Magazine IEEE Conference IEEE CNF Proceeding 1. Audio thumbnailing of popular music using chroma-based representation П Bartsch, M.A.; Wakefield, G.H.; IET Conference **IET CNF** Multimedia, IEEE Transactions on Proceeding Volume 7, Issue 1, Feb. 2005 Page(s):96 - 104 IEEE STD IEEE Standard Digital Object Identifier 10.1109/TMM.2004.840597 AbstractPlus | References | Full Text: PDF(712 KB) | IEEE JNL Rights and Permissions 2. SVM-based salient region(s) extraction method for image retrieval ByoungChul Ko; Soo Yeong Kwak; Hyeran Byun; Pattern Recognition, 2004. ICPR 2004. Proceedings of the 17th International C Volume 2, 23-26 Aug. 2004 Page(s):977 - 980 Vol.2 Digital Object Identifier 10.1109/ICPR.2004.1334422 AbstractPlus | Full Text: PDF(325 KB) IEEE CNF Rights and Permissions 3. PicSOM: self-organizing maps for content-based image retrieval Laaksonen, J.; Koskela, M.; Oja, E.; Neural Networks, 1999. IJCNN '99. International Joint Conference on Volume 4, 10-16 July 1999 Page(s):2470 - 2473 vol.4 Digital Object Identifier 10.1109/IJCNN.1999.833459 AbstractPlus | Full Text: PDF(524 KB) IEEE CNF

Rights and Permissions

Help Contact Us Privacy &

© Copyright 2006 IEEE -

Indexed by **面 inspec**®



Welcome United States Patent and Trademark Office

☐☐Search Results

BROWSE

Check to search only within this results set

SEARCH

IEEE XPLORE GUIDE

Results for "(((index* <paragraph> (extract* <near> portion)) <and> rank*)<in>metadata)"

⊠ e-πail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

(((index* <paragraph> (extract* <near> portion)) <and> rank*)<in>metadata)

Citation C Citation & Abstract

Search

» Key

IEEE JNL IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

Indexed by

Help Contact Us Privacy &:

© Copyright 2006 IEEE -



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

Check to search only within this results set

SEARCH

IEEE XPLORE GUIDE

Results for "(((extract* <paragraph> (index* <near> portion)) <and> rank*)<in>metadata)" Your search matched 0 documents.

☑ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

(((extract* <paragraph> (index* <near> portion)) <and> rank*)<in>metadata)

Citation C Citation & Abstract

Search

» Key

IEEE JNL IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

Indexed by
inspec

Help Contact Us Privacy &

© Copyright 2006 IEEE -